

INTERNATIONAL ORGANISATION FOR STANDARDISATION
ORGANISATION INTERNATIONALE DE NORMALISATION

ISO/IEC JTC 1/SC 29/WG1
(ITU-T SG16)

Coding of Still Pictures

JBIG

Joint Bi-level Image
Experts Group

JPEG

Joint Photographic
Experts Group

TITLE: JPEG Fake Media: Context, Use Cases and Requirements v4

SOURCE: JPEG (ISO/IEC JTC 1/SC 29/WG 1)

PROJECT: JPEG Fake Media Exploration

STATUS:

REQUESTED ACTION: For information and feedback

DISTRIBUTION: Public

Contact:
ISO/IEC JTC 1/SC 29/WG1 Convener - Prof. Touradj Ebrahimi
EPFL/STI/IEL/GR-EB, Station 11, CH-1015 Lausanne, Switzerland
Tel: +41 21 693 2606, Fax: +41 21 693 7600, E-mail: Touradj.Ebrahimi@epfl.ch

JPEG Fake Media: Context, Use Cases and Requirements

1 Executive Summary

Recent advances in media creation and modification allow the production of near realistic media assets that are almost indistinguishable from original assets to the human eye. These developments open opportunities for creative production of new media in the entertainment and art industry. However, the intentional or unintentional spread of manipulated media, *e.g.*, modified media with the intention to induce misinterpretation, also imposes risks such as social unrest, spread of rumours for political gain or encouraging hate crimes.

Clear and transparent annotation of media creation and modifications is considered to be a crucial element in many usage scenarios bringing trust to the users. This has already triggered various organizations to develop mechanisms that can detect and annotate modified media assets when they are shared. However, these annotations should be attached to the media in a secure way to prevent them from being compromised. In addition, to achieve a wide adoption of such an annotation ecosystem, interoperability is essential and this clearly calls for a standard.

This document introduces an JPEG exploration study called *JPEG Fake Media*. The scope of JPEG Fake Media is the creation of a standard that can facilitate the secure and reliable annotation of media asset creation and modifications. The standard shall support usage scenarios that are in good faith as well as those with malicious intent.

2 Context & Motivation

Nowadays, media assets can be modified or even entirely synthetically created, *e.g.*, using deep learning methods, in such a way that they are hard to distinguish from natural media assets to the human eye. These developments open new creative opportunities that are useful for the entertainment industry and other business usage, *e.g.*, creation of special effects, artificial but photo realistic scene production with actors in the studio, or restoration/re-colourisation. However, this also leads to issues relating to the use of manipulated media to spread disinformation. Misuse of manipulated media can cause social unrest, spread rumours for political gain or encourage hate crimes.

In many application domains, the creators may want, and even need, to declare the type of modifications that were performed on the media asset, in opposition to other situations where the intention is to hide the mere existence of manipulations. In fact, it is important to dispell the myth that media modifications are always negative, *i.e.*, manipulations, as they are increasingly a normal and legal component of the production pipeline. This is already leading various governmental organizations to plan new legislation. It is also true that companies, especially social media platforms and news outlets, are developing mechanisms that would clearly detect and annotate manipulated media when they are shared, attempting to avoid negative impacts. While growing efforts are noticeable in developing technologies, there is a need to have a standardized way to annotate media assets (whatever the intent) and securely link them together. Therefore, the JPEG standardization committee (under auspices of ISO, IEC and ITU) has launched an initiative to identify the standardization needs related to the facilitation of the secure and reliable annotation of modified media through an in-depth analysis of various usage scenarios. While the initiative is called *JPEG Fake Media*, it is important to stress that it addresses both good faith and malicious usage scenarios.

It is expected that as a follow up of this effort, JPEG initiates a standardization activity in order to ensure interoperability between a wide range of applications dealing with media asset creation and modifications. To reach this goal, JPEG has and continues to invite stakeholders to join the effort by helping to better understand applications and scenarios relevant to JPEG Fake Media use cases. This allows the JPEG committee to identify key requirements for a standard in this context. Initial findings suggest that a set of standard mechanisms to describe and embed information about the creation of media assets as well as modifications are needed. In addition, standard mechanisms for security and protection of integrity of media assets are desired. The latter is closely related to issues highlighted in media blockchain, which has been in progress for a few years in JPEG and therefore is considered as a natural continuation of that effort.

It is also important to understand, in more depth, the usage scenarios which will require input from relevant industries, public bodies (responsible for legislation), technology providers and end-users. Therefore, the JPEG Committee engages with stakeholders in order to develop a clearly defined roadmap for standardization. This document introduces the JPEG Fake Media initiative to relevant academic, research and industry partners, in order to gather contributors to develop the best possible JPEG Fake Media standard.

3 Scope

The scope of JPEG Fake Media is the creation of a standard that can facilitate secure and reliable annotation of media asset creation and modifications. The standard shall support usage scenarios that are in good faith as well as those with malicious intent.

4 Definitions

To ensure a correct understanding of the descriptions in this document, this section defines terms and concepts as they are used in the context of this work.

- **Misinformation:** information that is false but not created with the intention of causing harm¹.
- **Disinformation:** information that is false and deliberately created to harm a person, social group, organisation or country¹.
- **Malinformation:** information that is based on reality, used to inflict harm on a person, social group, organisation or country¹.

- **Media asset:** digital assets including images, videos, audio or text. In the context of this document we mainly focus on images, however, other media types are not necessarily excluded from the scope.
- **Natural media asset:** sensor acquired media asset.
- **Synthetic media asset:** media asset generated at least partially by a computer programme.
- **Media asset content:** the portion of a media asset that represents the actual content, such as the pixel data of an image, along with any additional technical metadata required to understand or render the content (e.g. a colour profile or encoding parameters).
- **Media asset metadata:** the portion of a media asset that represents non-technical information about the media asset or its content, such as location, creator, annotations or IPR information.
- **Actor:** A human or non-human (hardware or software) that is participating in the media ecosystem. For example: a camera (capture device), generation or editing software, cloud service or the person using such tools.
- **Region of Interest:** subset within the media asset content identified for a particular purpose. For example: the face portion of a portrait image, an extracted foreground object(s) or scene cuts of a video.
- **Coordinate system:** a method of representing points in a space of given dimensions by coordinates.

- **Media asset origin:** the actor that created the media asset.
- **Media asset provenance:** a set of information about a media asset including the trail of modifications starting from an actor, for example, the media asset origin.

¹ As defined by UNESCO: <https://en.unesco.org/fightfakenews>

- **Media asset source:** media asset produced by a device or method without any modifications.
 - **Digital master:** master media asset as intended by its creator.
 - **Modified media asset:** media asset that has been changed.
 - **Manipulated media asset:** media asset that has been changed with the intention to induce misinterpretation.
 - **Composed media asset:** media asset composed of multiple media assets.
-
- **Media asset integrity:** lack of corruption of a media asset.
 - **Authentic media asset:** media asset that is verifiable and/or trustworthy
 - Verifiable: able to be checked
 - Trustworthy: able to be relied on as truthful




Figure 1: Illustrative example of selected definitions using wedding photograph scenario.

Figure 1 provides an illustrative example of some of the definitions using the scenario of a wedding photograph. The *media asset origin* is the digital camera used to capture the image, the image produced by this camera is the *media asset source*, in this case stored in a camera RAW format. The photographer (artist) makes some changes to the *source image* such as cropping, enhancing the contrast, correcting the white balance, and applying vignetting. Finally, they store a high-quality JPEG image version which is called the *digital master*, which is shared with their client (consumer). Note that the *digital master* is a version that has been modified from the *source image*. At this point the *provenance* of the media asset spans from the *origin* to the *digital master*. When the client shares the image via social media, a newly *modified* version is created that entails rescaling to a lower resolution and transcoding to a lower quality JPEG. Since the client may not have access to any provenance information prior to the *digital master*, the *authenticity* for the client therefore relies on her/his trust in the photographer/artist who has created the *digital master*.

Use cases

One of the key objectives of the JPEG Fake Media initiative is to better understand topics and use cases that fall under its scope and to analyse their implications, especially from a standardization point of view. Currently, the JPEG committee has identified the following topics and use cases:

- **Misinformation and disinformation**
 - Deepfakes
 - Manipulated media
 - Media intentionally used out of context
- **Forgery / Media forensics**
 - Document forgery (e.g. IDs and passports)
 - Insurance fraud (e.g. pictures of accidents)
 - KYC (Know Your Customer) (e.g. fake identity)
 - Impostering (e.g. impersonating a celebrity)
- **Media creation**
 - Use of deepfakes for special effects
 - Green screens, media processing and composition
 - GAN (Generative Adversarial Network) images
 - Short content bursts
 - UGC (User Generated Content) e.g. TikTok, Triller, Adobe Spark
 - Picture and movies production
- **Media modification**
 - Image editing software
 - Movie preservation
 - Film enhancement
 - Restoration of old movies or photographs

Based on the above, the following sections provide a preliminary overview of illustrative use cases. Both the topics and use cases will be extended in the future based on feedback from stakeholders.

4.1 Misinformation and disinformation

4.1.1 Media usage in breaking news

In his coverage, a journalist wants to use images from a social media post depicting police violence during protests. The journalist has to make a fast decision but of course he wants to be sure the image in the post is genuine and taken at the mentioned place and time.

4.1.2 Deepfake detection

A news host wants to double check if a video she received of the president making questionable claims is genuine and not a deepfake.

4.1.3 Content authenticity checking

An investigative journalist wants to verify if an image depicting past atrocities is actually from that era and place.

4.1.4 Content usage tracing

A photographer wants to find out where and how some of the images from his portfolio have been used and check whether they are used in a genuine context.

4.1.5 Academic research

An academic journal reviewer might want to know that an image used as evidence for a successful experiment hasn't been altered and is accurately used.

4.1.6 Photographic framing

A journalist received images of the Grand Place in Brussels in the aftermath of the terroristic attacks. Due to the specific framing, the images give a frightening impression of the situation. Therefore, the journalist wants to compare with other images taken at the same place and time but from different perspectives to better evaluate the actual situation.

4.2 Forgery/media forensics

4.2.1 Insurance fraud

In the context of insurance fraud, an insurer might want to check whether an image used as evidence has been manipulated.

4.2.2 Mileage reporting photo

A car insurance company provides a discount program for the customer of limited annual mileage and demands the annual-reporting photo showing the mileage and the time displayed on the front panel of the customer's car. This insurance company might want to check whether the photo reported has been manipulated.

4.2.3 Photo for cost charge

A series of before & after photos is frequently used for charging repair-costs in modern digital society. In this case, the integrity of a series of photos with the timing information from the origin to the final needs to be authenticated.

4.2.4 Evidence of Trial

A prosecutor wants to verify whether a movie recorded by Closed Circuit TV Security System was really taken at the location and the time.

4.2.5 Media sharing on social media

A media consumer (end user) wants to verify the credibility of a news article shared on social media and he/she would like to trace who created, modified and published the image on it.

4.2.6 Credibility of AI training image data sets

An online auction service buys a set of training image data from a stock photo service and wants to check if each image was really taken by a camera instead of being created synthetically.

4.3 Media creation

4.3.1 Movie special effects

A creative movie production company has created several shots for a movie that are computer generated but almost indistinguishable from real footage. The generated footage is labelled to allow consumers to identify that the content is computer generated. Since the final movie is a composition of generated and real footage, the entire movie can be labelled frame by frame.

4.3.2 Media transcoding

A photographer develops multiple versions of an image for different purposes. This includes the camera RAW image, rendered JPEG, moderately enhanced image and varying quality versions for web preview or print. During each transcoding step, authenticity and IPR information is retained from the parent version to the child version. In addition, authenticity information might be updated to describe modifications inherent to the transcoding process such as loss of quality when transcoding to a lossy format.

4.3.3 Chroma keying or silhouette extraction

Using chroma keying or silhouette extraction, a reporter can be virtually placed in a different location. Labelling the content allows media consumers to identify whether the shots were actually taken at the location or not.

4.4 Media modification

4.4.1 Image colorization and restoration

A developer has created an algorithm that uses deep learning to colorize grayscale images and enhance image quality. The output images are labelled to allow consumers to identify that these images have been processed and may not accurately reflect original colours.

4.4.2 Photo editing

A photographer uses photo editing software (e.g. Photoshop) to edit model pictures for a magazine. The final images are labelled to indicate that they are post-processed. The labels allow signalling of how “severe” the changes are to distinguish simple contrast and tone enhancements from changes where content has been added, removed, modified or manipulated.

5 Requirements

Based on the identified use cases, a number of JPEG Fake Media requirements have been identified and organized in three main categories:

- Media creation and modification descriptions (metadata)
- Metadata embedding and referencing
- Authenticity verification

The sections below list the already identified requirements for each identified category.

5.1 Media creation and modification descriptions

- The standard shall provide means to **describe** how, by whom, where and/or when the media asset was created and/or modified. For example:
 - How:
 - Natural: Sensor (e.g. camera model or specific user device)
 - Synthetic: Software used for creation or modification (name, creator, version, ...)
 - Who:
 - Creator (person, just name or identifier, website, ...?)
 - Social media platform (e.g. when transcoding)
 - Software that created a synthetic media asset
 - Where & when:
 - Timestamp of creation
 - Timestamp of modification
 - GPS coordinates creation
 - Other time and location information
- The standard shall provide means to reference the asset(s) on which the modifications were applied and/or that were used for its creation.
- The standard shall provide means to describe the **type** (for example: transcoding, contrast, brightness, colour temperature, adding annotations, ...) and **category** (for example: global, local, restoration, enhancement, composition, ...) of modifications.

- The standard shall provide means to describe the **region of interest (ROI)** where the media asset was modified.
- The standard shall provide means to describe the **purpose of a modification**.
- The standard shall provide means to **signal the extent of modifications** compared to a reference version, for example by providing an objective similarity metric. The standard shall also provide means to signal which method was used.
- The standard shall provide means to describe (algorithmically or by humans) the **probability of the existence of a modification** and which method was used to determine that probability. The probability can be specific to a particular region of interest or modification.
- The standard shall provide means to **keep track of the provenance of media assets and/or of specific modifications**.
- The standard shall provide means to signal IPR information related to media assets and/or to specific modifications.

5.2 Metadata embedding and referencing framework

- The standard shall provide means to **embed provenance, authenticity and IPR information** into media assets.
- The standard shall **comply with the JPEG Systems framework** and should **retain backwards compatibility**.
- The standard shall **allow for accommodating non-JPEG formats**.
- The standard shall be **intelligible as a self-contained structure**
- The standard shall provide means to **verify the integrity** of the media asset by supporting:
 - various hashing methods;
 - various signing methods;
 - various digital fingerprinting methods;
 - the ability to embed multiple signatures, hashes or fingerprints with different scope:
 - Ability to cover JUMBF boxes, entire metadata, subset of metadata, asset content, ...
- The standard shall provide means to **protect** media asset metadata, including provenance information.
- The standard shall provide means to **provide conditional access** to media asset metadata.
- The standard shall provide means to **compress embedded descriptions**.
- The standard shall provide means to **embed references** to externally hosted descriptions, methods and services.
- The standard shall provide means to **keep track of modifications made to the media asset content** and provide means to compare with or rollback to a previous version.
- The standard shall provide means to **keep track of modifications made to the media asset metadata** and provide means to compare with or rollback to a previous version.
- The standard shall provide means to signal what should happen with **embedded JUMBF boxes in case modifications are applied**: carry over, remove, update, warn the user about potential inconsistencies. The action may depend on the type of modification and can differ depending on the type of the specific JUMBF box. For example:
 - Modifications that do not impact semantics or coordinate system:
 - Transcoding

- Modest contrast, brightness, exposure, shadows, highlights, vignetting, ...
- Colour temperature, tint, saturation, vibrance, color curve, ...
- Sharpening, blurring, noise reduction, ...
- Modifications that impact the coordinate system:
 - Cropping, rotating, warping, resizing, ...
- Modifications that change the semantics:
 - Object removal
 - Object shape modifications
 - Composition
 - Deep fake (face swapping, ...)




Figure 2: Illustrative example of an embedded Privacy & Security JUMBF box that needs to be updated in case a modification to the media asset content is made.

5.3 Authenticity verification

- The standard shall support registration of media assets, media asset metadata and media asset content.
- The standard shall support registration of the actors involved in the media asset creation, modifications and distribution.
- The standard shall support decentralized and centralized registration solutions.
- The standard shall provide means to **identify the origin, source or digital master** of the media asset while also supporting **anonymization or obfuscation** of that information if demanded by the use case.
 - The standard shall support the explicit denotation of anonymous, obscured, or redacted information. If the information is not provided, then it is considered anonymized.
- The standard shall provide means to **verify the integrity** of the media asset.
- The standard shall provide means to **verify the authenticity** of the media asset.
- The standard shall provide a pathway to enable **registration** of media assets sources, digital masters and modified versions.

6 Next steps

The key steps in the definition of a new JPEG standard are illustrated in Fig. 1. The process as depicted, follows a well defined procedure composed of the following steps:

1. Inform and engage stakeholders
2. Collect relevant use cases
3. Assess and organize use cases
4. Define and cluster requirements from use cases
5. Define appropriate performance assessment processes and metrics
6. Issue a Call for Proposals




Figure 1: JPEG standardization process.

Engagement with stakeholders is crucial to achieve a good understanding of their specific use cases, requirements and the challenges imposed by the latter. To this end, JPEG already organised the following workshops:

- 1st JPEG Fake Media Workshop, December 15th 2020, online.
- 2nd JPEG Fake Media Workshop, March 25th 2021, online.

More workshops will be organized to further complete the list of use cases with related requirements and challenges.

Next in the process of creating a standard is the definition and clustering the requirements with which the standard should comply. At this point, as introduced in the previous section, generic requirements have been identified in two categories: modification description and secure linkage of these descriptions to the media content. These requirements will be further refined to identify which requirements can be taken care of by JPEG.

Based on the use cases and the final set of requirements, a Call for Proposals will be issued, allowing experts to propose technical solutions that address such requirements. The Call for Proposals will include the appropriate assessment processes and metrics that will be used to evaluate the received proposals. After evaluation, the selected technical solutions will be collaboratively improved and completed and might be included in a new standard or might lead to extensions of other relevant standards such as the JPEG Universal Metadata Box Format (ISO/IEC 19566-5) or JPEG Privacy and Security (ISO/IEC 19566-4).